

Annual Drinking Water Quality Report For Calendar Year 2025

Buffalo Water/Managed by Veolia NA, LLC

2 Porter Avenue
Buffalo, NY 14201
PWS ID # NY1400422

MAYOR CHRISTOPHER P. SCANLON

Buffalo Water Board:

Chairperson: Brian Gould

Members: William Sunderlin, Denine Jackson, Debbie Lombardo
Tim Donovan Scott Billman, William Hanley

Commissioner of Public Works: Nolan Skipper, P.E.

Veolia Water Managers:

Project Manager: David Hill

Operations Manager: Douglas Fultz, P.E.

Billing & Customer Service 281 Exchange Street Buffalo, NY 14204		Water Treatment Plant 2 Porter Avenue Buffalo, NY 14201	
Useful Phone Numbers			
Customer Service & Emergency	(716) 847-1065	Water Quality Inquiries	(716) 847- 1065 ext. 153
Website: www.buffalowater.org			
For health issues, contact: Erie County Health Department: (716) 961-6800			
Senior Citizen Discount: Contact Department of Assessments at (716) 851-5733			

*Este informe contiene información significativa sobre el agua que usted bebe.
Tradúzcalo ó hable con alguien que lo entienda bien.*

INTRODUCTION


To comply with State regulations, Buffalo Water (managed by Veolia NA) provides an annual report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. This report is an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards. We are pleased to provide you with this information because informed customers are our best customers.

If you have any questions about this report or concerning your drinking water, please contact Eric Machin, Water Treatment Supervisor at (716) 847-1065 ext. 130. We want you to be informed about your drinking water. If you would like to learn more, please attend any of the regularly scheduled Water Board meetings, typically held the second Wednesday of each month at 9:00 AM, at 2 Porter Ave. Buffalo New York. Please access the Buffalo Water website for updated meeting schedules.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the Federal Environmental Protection Agency (EPA) prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department and the Federal Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water source is Lake Erie (a surface water source) which is the southernmost of the Great Lakes, bounded on the north by the Canadian province of Ontario, on the south by the U.S. states of Ohio, Pennsylvania, and New York, and on the west by the state of Michigan. Lake Erie is the shallowest of the Great Lakes, with an average depth of only 62-ft. It also has the shortest detention time of the Great Lakes. Water remains in the lake for only 2.6 years before it is replaced by fresh water (as compared with 191 years in Lake Superior or 22.6 years in Lake Huron). It is also the siltiest of the Great Lakes. Its bottom consists of fine sand, easily upset during turbulent storms. The combination of its



shallowness, short detention time and sandy unstable bottom is especially beneficial to our water quality. The lake is able to flush itself of harmful contaminants such as pesticides and other organic wastes. When Lake Erie becomes turbulent, fine particles of sand and silt become agitated and suspended throughout the lake. Organic contaminants have the propensity to cling to these particles and be flushed from the lake. Therefore, water treatment begins as a natural process due to the structure and makeup of Lake Erie. During 2025, our system did not experience any restriction of our water source.

SOURCE WATER ASSESSMENT (SUMMARY)

A source water assessment was completed under the New York State Department of Health (NYSDOH) Source Water Assessment Program (SWAP). The following is the Executive Summary of this report:

“ The New York State Department of Health recently completed a draft Source Water Assessment of the raw water supply's source under the state's Source Water Assessment Program (SWAP). The purpose of this program is to compile, organize, and evaluate information regarding possible and actual threats to the quality of public water supply (PWS) sources. It is important to note that source water assessment reports estimate the potential for untreated drinking water sources to be impacted by contamination. These reports do not address the safety or quality of treated finished potable tap water.

The Great Lakes' watershed is exceptionally large and too big for a detailed evaluation in the SWAP. General drinking water concerns for public water supplies which use these sources include: storm generated turbidity, wastewater, toxic sediments, shipping related spills, and problems associated with exotic species (e.g. zebra mussels – intake clogging and taste and odor problems). The SWAP is based on the analysis of the contaminant inventory compiled for the drainage area deemed most likely to impact drinking water quality at this public water supply raw water intake. This assessment found a moderate susceptibility to contamination for this source of drinking water. The amount of agricultural lands in the assessment area results in elevated potential for protozoa and disinfection byproduct precursor contamination. There is also a high density of sanitary wastewater discharges, which results in elevated susceptibility for nearly all contaminant categories.

There is also noteworthy contamination susceptibility associated with other discrete contaminant sources, and these facility types include: Toxics Release Inventory facilities, Chemical Bulk Storage facilities, inactive hazardous waste sites, landfills and Resource Conservation and Recovery Act facilities.”

If you have any questions about the state's Source Water Assessment Program, please contact the Erie County Health Department at (716) 961-6800.

DRINKING WATER TREATMENT PROCESS

Buffalo's water intake is located in the northeastern region of Lake Erie, just upstream of the Niagara River. This region is known as the Emerald Channel, due to the sparkling clarity of the source water. Raw water enters the intake through 12 sluice gates and collects in a circular conduit where it's conveyed by gravity down a 12-foot diameter, mile-long tunnel burrowed under the lake bed. Chlorine is injected on seasonal basis at this point to control zebra and quagga mussels, and provide some disinfection of the water. The water then enters an onshore screen house at the Colonel Francis G. Ward Pumping Station where traveling screens remove large objects such as fish and other debris that could potentially damage equipment.

Water continues to flow by gravity through the raw water conduit as chlorine is added for disinfection. Six low lift pumps are utilized to control the amount of water withdrawn from Lake Erie depending on system demands. A poly-aluminum chloride (PACl) coagulant is fed and mixed immediately downstream of the low lift pumps. PACl is a coagulant designed to cause organics in the water to bind together forming floc. Next, the water flows into underground basins where the flocculation and sedimentation processes occur. During flocculation, the water is slowly mixed by mechanical equipment to enhance floc formation. Following the flocculation process, water enters into the settling portion of the underground basins where the heavy floc is allowed to settle out by gravity. The settled water, still containing light floc, is conveyed to 40 rapid sand/anthracite filter beds where the filtration process occurs, removing the light floc. A filter aid (PACl) can be added when necessary to enhance filtration and additional chlorine can also be added if needed. Filtered water then enters a 28 million gallon clear well, where it is stored until needed in the distribution system.

The 40 filters need to be cleaned on a regular basis, which is accomplished by backwashing the filters with potable water. The backwash wastewater generated during the backwash process contains concentrated amounts of light floc removed by the filters. This wastewater is collected and pumped to gravity thickening clarifiers. Clarified backwash water is recycled to the raw water conduit or to the Black Rock Canal, and the concentrated residuals generated during the thickening process are pumped to a storage lagoon and subsequently to a centrifuge for further processing.

Prior to potable water being pumped into the distribution system, a phosphate based corrosion inhibitor is added along with fluoride. The phosphate provides a protective layer inside service connections and plumbing systems. Lastly, High lift pumps located at the Colonel Ward and Massachusetts Pumping Stations deliver the treated water to the community. Our in-house laboratory tests the quality and safety of the water at every stage of the treatment process. Additional tests are conducted from samples taken throughout the City, including private homes, businesses and public facilities to ensure our water remains safe.

FACTS AND FIGURES

Water is essential for all life. Besides drinking, bathing and recreation, water is used to fight fires, and has countless industrial applications. The City of Buffalo treated over 23.4 billion gallons last year averaging over 64 million gallons each day for a population of approximately 278,349 people, covering 46 square miles of piping network. On our highest single day, February 9, 2024 we treated over 98 million gallons of water for distribution.

The distribution system consists of approximately 825 miles of water main pipe (not including hydrant laterals and service connections), 23,860 valves, 80,000 service connections and 7,966 fire hydrants. The distribution system is maintained, day and night, throughout all seasons.

Customer Cost

The average 2025 annual water charge was approximately \$885.48. The total quarterly bill includes the cost of water used and the service charge. Eligible senior citizens receive a discount.

Water Usage (Gallons)		Price per 1,000 gallons		Quarterly Service Charge as of December 31, 2024				
Monthly	Quarterly	Regular	Seniors	Meter Size	Regular	Seniors	Meter Size	Regular
Up to 74,800	Up to 224,400	\$3.88	\$2.33	5/8"	\$78.44	\$47.06	3"	\$1254.90
Over 74,800	Over 224,400	\$4.27	\$2.09	3/4"	\$117.65	\$70.59	4"	\$1960.79
				1"	\$196.07	\$117.65	6"	\$3921.58
				1 1/2"	\$392.15	\$235.29	8"	\$6274.51
				2"	\$627.44	\$376.47	10"	\$16470.61

ABBREVIATIONS AND DEFINITIONS OF TERMS USED IN THIS REPORT

MCLG (Maximum contaminant level goal): The level of contaminant in drinking water below which there is no known or expected risk to health, MGLGs allows for a margin of safety.

MCL (Maximum contaminant level): The highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MGLGs as possible.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant (chlorine) allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant (chlorine) below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TT (Treatment Technique): A required process intended to reduce the level of contamination in drinking water.

AL (Action Level): The concentration of a contaminant, which, if exceeded, triggers a treatment, or other requirement, which a water system must follow.

NTU (Nephelometric Turbidity Units): A measure of clarity (turbidity) of water, turbidity in excess of 5 NTU is just noticeable to the average person.

Poly/Ortho - phosphate: A chemical blend used as a treatment technique (TT) intended to minimize the potential for lead and copper contamination in drinking water. EPA's Action Level (AL) for lead in water delivered to users of public drinking water systems is 15 µg/L. (parts per billion) Its goal for lead is zero.

Floc: Clumps or tufts formed when suspended particles combine with chemical substance or compound that promotes the combination, agglomeration, aggregation or coagulation of suspended particles in the water.

Sedimentation: The process of suspended solid particles settling out (going to the bottom of the vessel) in water.

Coagulation: Agglomeration of finely divided particles into larger particles, which can then be removed by settling and/or filtration.

ppm: Parts per million, or milligrams per liter (mg/L). Corresponds to one part of liquid in one million parts of liquid.

ppb: Parts per billion, or micrograms per liter (µg/L). Corresponds to one part of liquid in one billion parts of liquid.

ppt: Parts per trillion, or nanograms per liter (ng/L). Corresponds to one part of liquid in one trillion parts of liquid.

ND: Not Detected. **N/A:** Not applicable.

TTHM (Total Trihalomethane): Organic compounds, which are disinfection by-products of the chlorination of drinking water. Some people who drink water with TTHMs in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous system, and may have an increased risk of getting cancer.

HAA (Halogenated Acetic Acids): Organic compounds, which are disinfection by-products of the chlorination of drinking water, currently the EPA lists HAA's as a health advisory

TOC (Total Organic Carbon); SUVA (Specific Ultraviolet Absorption): A measure of the organic content of the water. This is a precursor to disinfection by-product when combined with the chlorination of drinking water.

90th % Value: The values reported for lead & copper represent the 90th percentile for each of these contaminants. A percentile is a value on a scale of 100 that indicates a percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead (or copper) values detected at your water system.

RAA: The value in the Running Annual Average (RAA) field is the average of the Monitoring Period Average (MPA) for a year. It is calculated by determining the monitoring periods that began within 365 for the current monitoring period and averaging them.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, radiological, synthetic organic compounds, 1,4-Dioxane PFOA and PFOS. The following tables present which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, is more than one year old.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800) 426-4791 or the Erie County Health Department at (716) 961-6800.

Location	Contaminant	Violation Yes/No	Date of Sample	Level Detected (Min/Max) (Average)	Unit Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
2025 Table of Detected Contaminants - Inorganic Entry Point								
Entry Point	Barium	No	4/9/25, 10/20/25	19.0, 21.0 Avg.: 20.0	ppb	2000	2000	Discharge of drilling wastes; discharge from metal refineries; and erosion of natural deposits.
	Fluoride	No	4/9/25, 10/20/25	10, 470 Avg.: 280	ppb	N/A	2200	Water additive which promotes dental health; erosion of natural deposits; discharge from fertilizer and aluminum factories.
	*Sodium	No	4/9/25, 10/20/25	10.2, 10.4 Avg.: 10.3	ppm	N/A	**	Naturally occurring; Road salt; Water softeners; Animal waste.
	Total Chromium	No	4/9/25, 10/20/25	ND, 0.06 Avg.: 0.03	ppb	N/A	100	Naturally found in rocks, soil, lava dust and animals.
	Arsenic	No	4/9/25, 10/20/25	0.03, 0.08 Average 0.06	ppb	N/A	10	Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer
	Manganese	No	1/31/19-10/24/19	0.51, 2.13 Avg.: 1.34	ppb	N/A	300	Man-made chemicals widely used in the manufacturing of industrial and consumer products.
	Nickel	No	4/9/25, 10/20/25	0.07, 0.06 Average 0.07	ppb	100	100	Nickel can be released into the environment by power plants, metal factories and incinerators. It is also found in runoff from fertilizer use.
	Copper ⁽¹⁾	No	1/1/25-12/31/25	ND – 3.8 90% = 0.09	ppb	0	AL = 1300	Corrosion of household plumbing; erosion of natural deposits; leaching from wood preservatives.
	Lead ⁽¹⁾	No	1/1/25-12/31/25	ND – 7.13 90% = 0.004	ppb	0	AL = 15	Corrosion of household plumbing systems and service lines connecting buildings to water mains, erosion of natural deposits
Distribution	Copper ⁽¹⁾	No	1/1/25-12/31/25	ND – 3.8 90% = 0.09	ppb	0	AL = 1300	Corrosion of household plumbing; erosion of natural deposits; leaching from wood preservatives.
	Heterotrophic Bacteria	No	1/2/25-12/29/25	0-200 Avg.: 3.10	count/ml	N/A	N/A	Naturally occurring.
2025 Table of Detected Contaminates - Microbiological								
Distribution	Turbidity ⁽³⁾	No	1/2/25-12/31/25	0.05-0.14 Avg.: 0.08	NTU	N/A	≤ 1.0	Soil runoff.
	Turbidity ⁽²⁾	No	1/2/25-12/31/25	100% < 0.3	NTU	N/A	TT: 95% ≤ 0.3	Soil runoff.
Entry Point	Heterotrophic Bacteria	No	1/2/25-12/31/25	0 - 111 Avg.: 1	count/ml	N/A	N/A	Naturally occurring.
		No		100% < 0.3	NTU	N/A	TT: 95% ≤ 0.3	
	Total Chlorine	No	1/2/25-12/31/25	1.14-1.80 Avg.: 1.41	ppm	N/A	N/A	Water additive used to control microbes.
2025 Table of Detected Contaminates - Total and Free Chlorine Residuals - Disinfectants								
Entry Point	Free Chlorine	No	1/2/25-12/31/25	0.07-1.37 Avg.: 0.76	ppm	(MRDLG) 4.0	(MRDLG) 4.0	Water additive used to control microbes.
	TOC	No	1/14/25-12/9/25	1.65-2.21 Avg.: 1.99	ppm	N/A	TT < 2.0	Precursors to by-products of drinking water chlorination.
Distribution	SUVA	No	1/14/25-12/9/25	0.68-1.19 Avg.: 0.84	L/mg-m	N/A	TT < 2.0	Precursors to by-products of drinking water chlorination.
Entry Point	TOC	No	1/14/25-12/9/25	1.65-2.21 Avg.: 1.99	ppm	N/A	TT < 2.0	Precursors to by-products of drinking water chlorination.
	Total Solids	No	1/14/25-12/9/25	110-220 Avg.: 166	ppm	N/A	N/A	Naturally occurring.
2025 Table of Detected Contaminates - Other Properties of Water								
Entry Point	Alkalinity (as CaCO ₃)	No	1/14/25-12/22/25	87-98 Avg.: 93	ppm	N/A	N/A	Naturally occurring.
	Calcium Hardness (as CaCO ₃)	No	1/14/25-12/22/25	76-91 Avg.: 87	ppm	N/A	N/A	Naturally occurring.
	Manganese	No	1/31/19-10/24/19	0.51-2.13 Avg.: 1.34	ppb	N/A	300	Naturally occurring; Indicative of landfill contamination

	pH	No	1/14/25-12/31/25	7.42-7.96 Avg.: 7.67	SU	N/A	N/A	Naturally occurring.
	pH	No	1/2/25-12/31/25	7.38-8.10 Avg.: 7.76	SU	N/A	N/A	Naturally occurring.
	Alkalinity (as CaCO ₃)	No	5/21/25-11/5/25	82-102 Avg.: 93	ppm	N/A	N/A	Naturally occurring.
Distribution	Calcium Hardness (as CaCO ₃)	No	5/21/25-11/5/25	80-100 Avg.: 89	ppm	N/A	N/A	Naturally occurring.
	Alkalinity (as CaCO ₃)	No	5/21/25-11/5/25	82-102 Avg.: 93	ppm	N/A	N/A	Naturally occurring.
	PFOS- Perfluorooctane sulfonate	No	1/14/25-10/20/25	1.34-3.56 Avg.: 2.07	ppt	N/A	10	Man-made chemicals widely used in the manufacturing of industrial and consumer products.

PFOS

PFOS	PFOS- Perfluorooctane sulfonate	No	1/14/25-10/20/25	1.34-3.56 Avg.: 2.07	ppt	N/A	10	Man-made chemicals widely used in the manufacturing of industrial and consumer products.
	TTHM ⁽⁴⁾	No	2/11/25-11/11/25	15-67 RAA= 35.9	ppb	N/A	80	By-product of drinking water chlorination needed to kill harmful microorganisms. TTHM's are formed when source water contains large amounts of organic matter.

2025 Table of Detected Contaminates - Disinfection Byproducts

Distribution	TTHM ⁽⁴⁾	No	2/11/25-11/11/25	15-67 RAA= 35.9	ppb	N/A	80	By-product of drinking water chlorination needed to kill harmful microorganisms. TTHM's are formed when source water contains large amounts of organic matter.
	Avg. (range) TTHM, ppb	Avg. (range) HAA, ppb						

Stage 2 Disinfection Byproducts 2025

Sample Site	33.8(16.6-62.0)	13.4 (9.2-17.6)
3396 Bailey	37.9 (20.7-57.7)	22.2(10.9-36.3)
396 Kenmore	33.2(20.1-56.9)	14 (3.1-23.6)
31 Marine Dr	38.9 (18.2-60.9)	22.1 (10.8-35.6)
3043 Main	40.9 (28.5-67.0)	9.7 (5.2-15.4)
262 Grider	31.0(16.6-52.1)	17.5 (12.3-17.1)
150 Reading	31.7 (17.6-52.8)	16.9 (12.1-19.7)
3226 Bailey	34.7 (25.3-52.7)	18.1 (17.0-18.9)
1110 Abbott	47.3 (24.5-55.2)	5.9 (2.1-17.3)
1117 Abbott	35.5 (27.4-55.8)	18.7 (13.1-23.6)
398 Dingens	39.8(21.7-58.8)	21.6(13.7-30.8)

30.7(14.3-58.2)

20.9 (11.2-36.1)

Footnotes for Table of Detected Contaminants:

* Water containing more than 20 mg/l of sodium should not be used for drinking by anyone on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.

- (1) In 2025 273 homes were tested during the compliance period of January 1, 2025 through December 31, 2025. All Buffalo Water homes that are sampled are classified as compliance sites. The treatment technique (TT) employed by Buffalo Water, intended to reduce lead and copper contamination of drinking water is the addition of a poly/orthophosphate blend as a part of water treatment. This chemical serves to coat water lines, to prevent lead and copper from leaching into the drinking water. Ingesting copper in excess of the 1300 ppb AL may result in gastrointestinal distress. Long term exposure to copper above the 1300 ppb AL may result in liver or kidney damage. Infants and children who drink water containing lead in excess of the AL could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning disabilities. Adults who drink this water over many years could develop kidney problems or high blood pressure. Infants and young children are more vulnerable to lead in drinking water than the general population. Lead levels in your home might be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested, and you should flush your tap for thirty seconds to two minutes (or until you feel a change in water temperature) before using your tap water. Additional information is available from the Safe Drinking Water Hotline (800) 426-4791, and on Buffalo Water's website.
- (2) Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system. Our highest single distribution measurement for the year occurred on September 12, 2025 (.89 NTU). State regulations require that the distribution average monthly turbidity must be below 5.0 NTU
- (3) The regulations also require that 99% of the effluent turbidity samples collected have measurements below 0.3 NTU and that no single turbidity measurement be above 1.0 NTU. 100% of all measurements for all of the months met the TT for turbidity (0.3 NTU), and were in the acceptable range allowed and did not constitute a violation.
- (4) Representative testing for TTHM included samples collected through 2024. Our highest detected reading was 67.0 ppb. Some people who drink water, containing TTHM in excess of the MCL over many years, experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

WHAT DOES THIS INFORMATION MEAN?

As presented in the Table of Detected Contaminants, our system had no violations for the parameters referenced. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the State.

UNDETECTED CONTAMINANTS:

According to State regulations, Buffalo Water routinely monitors your drinking water for various contaminants. Your water is tested for inorganic contaminants, nitrate, lead and copper, volatile organic contaminants, synthetic organic contaminants, total Trihalomethanes, 1, 4-Dioxane, PFOA and PFOS. Additionally, your water is tested for coliform bacteria a minimum of 150 times a month. The contaminants detected in your drinking water are included in the Table of Detected Contaminants. Below is a list of contaminants that were tested for in 2024 but **were not detected** in our drinking water:

1,1,1,2-Tetrachloroethane, 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloroethane, 1,1-Dichloroethane, 1,1-Dichloroethene, 1,1-Dichloropropene, 1,2,3-Trichlorobenzene, 1,2,3-Trichloropropane, 1,2,4-Trichlorobenzene, 1,2,4-Trimethylbenzene, 1,2-Dibromoethane, 1,2-Dibromo-3-chloropropane, 1,2-Dichlorobenzene, 1,2-Dichloroethane, 1,2-Dichloropropane, 1,3,5-Trimethylbenzene, 1,3-Dichlorobenzene, 1,3-Dichloropropane, 1,4-Dichlorobenzene, 1,4-Dioxane, 2-Butoxy-ethanol, 2,2-Dichloropropane, Antimony, Arsenic, Benzene, Beryllium, Bromate, Bromobenzene, Bromochloromethane, Bromoform, Bromomethane, Cadmium, Carbon Tetrachloride, Chlorite, Chlorobenzene, Chloroethane, Chloromethane, cis-1,2-Dichloroethene, cis-1,3-Dichloropropene, Chromium, Cyanide, Dibromomethane, Dichlorodifluoromethane, Ethylene glycol, Ethylbenzene, Hexachlorobutadiene, Isopropylbenzene, Mercury, Methylene Chloride, MTBE (Methyl tert-butyl ether), n-Butylbenzene, n-Propylbenzene, Naphtalene, Nickel, Nitrite as Nitrogen, o-Chlorotoluene, o-Xylene, p-Chlorotoluene, p-Isopropyltoluene, p/m-Xylene, Propylene glycol, sec-Butylbenzene, Selenium, Styrene, tert-Butylbenzene, Tetrachloroethene, Thallium, Toluene, trans-1,2-Dichloroethene, trans-1,3-Dichloropropene, Trichloroethene, Trichlorofluoromethane, Vinyl chloride.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

MONITORING VIOLATIONS

We are required to monitor your drinking water for specific contaminants on a regular basis and certify the results with the Department of Health. Results of regular monitoring are an indicator of whether or not your drinking water meets health standards. During 2025, Buffalo Water "did not certify all monitoring or testing results by the due date" for Lead and Copper. Buffalo Water was in compliance with the rule that required notification to customers by Nov. 15th, 2024, however, was two days late in certifying the fact that this regulatory obligation was met. Additionally during 2025, Buffalo Water "did not complete all monitoring or testing" for Lead and Copper. During the lead and copper January-June 2025 semiannual monitoring period, 82 of the 100 required approved samples were submitted. As such, Buffalo Water violated Part 5, 5-1.42 of the New York State Sanitary Code and must be reported in the annual water quality reports. This Tier III violation is reportable in the Annual Water Quality Report/CCR.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800) 426-4791.

INFORMATION ON FLUORIDE ADDITION

The Buffalo Water system is one of the many systems in New York State that adds a low level of fluoride to drinking water in order to provide consumer dental health protection. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at a properly controlled level. Our fluoride addition facility is designed and operated to provide drinking water with this beneficial fluoride.

INFORMATION ON LEAD SERVICE LINE INVENTORY

A Lead Service Line (LSL) is defined as any portion of pipe that is made of lead which connects the water main to the building inlet. The LSL is owned by the property owner. The inventory includes both potable and non-potable SLs within a system. In accordance with the federal Lead and Copper Rule Revisions (LCRR) our system has prepared a lead service line inventory and have made it publicly accessible by visiting our website at: (www.buffalowater.org)

WISE WATER USE

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Run only full loads in the washing machine and dishwasher. This saves 300 to 800 gallons per month.
- Turn off the tap when brushing your teeth and shaving. This saves three gallons each day.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an otherwise invisible toilet leak. Fix it and you save more than 30,000 gallons a year.
- Put a plastic bottle or a plastic bag weighted with pebbles and filled with water in your toilet tank. Displacing water in this manner allows you to use less water with each flush. Saves 5 to 10 gallons a day. That's up to 300 gallons a month, even more for large families. Better yet, for even greater savings, replace your water-guzzling 5-7 gallon a flush toilet with a 1.6 gallon, low flush, or 1.28 gallon, ultra-low flush model.
- Avoid flushing the toilet unnecessarily. Dispose of tissues, insects and other similar waste in the trash rather than the toilet.
- Retrofit all household faucets by installing aerators with flow restrictors to slow the flow of water.
- Don't run the hose while washing your car. Use a bucket of water and a quick hose rinse at the end which may save 150 gallons each time. For a two-car family that's up to 1,200 gallons a month.
- Place a bucket in the shower to catch excess water and use this to water plants. The same technique can be used when washing dishes or vegetables in the sink.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances, then check the meter after 15 minutes, if it moved, you have a leak.

System Improvements

To insure continuing quality and safety in our water supply, Buffalo Water has made the following improvements to our utility in 2025

- Installation of new electrical transformers at the Massachusetts Avenue substation.
- Engineering design of roof improvements at the Colonel Ward Pumping Station and Water Treatment Plant.
- Engineering design of electrical improvements at the Massachusetts Avenue substation and pumping station.
- Completed design of upgrades to Buffalo Water's primary disinfection system chemical facilities.
- Ongoing construction of electrical improvements at the Colonel Ward Pump Station and Filtration Plant to improve electrical service and reliability.
- Completed the construction of upgrades to Buffalo Water's residuals handling facilities.
- Various distribution system improvements continued including valve replacements, water cut restorations, and rehabilitation/replacement of water mains.
- Security improvements were further implemented at the Buffalo Water facilities.
- Building envelope improvements at Colonel Ward and Massachusetts Avenue Pumping Stations.

An absolute commitment to produce the best quality of drinking water available will remain highest priority for Buffalo Water. The planned improvements for 2026 demonstrate this commitment:

- Continuation of control system upgrades to improve monitoring systems and optimize control over water treatment and plant pumping systems.
- Building envelope improvements will continue at various Buffalo Water assets.
- Improve accuracy of metering program by replacing specific groups of meters.
- Various distribution system improvements (pipe replacement, valves, and large diameter main inner joint seals) will be designed and constructed.
- Construction associated with upgrades to Buffalo Water's primary disinfection system chemical facilities.
- Ongoing construction of electrical improvements at the Colonel Ward Pump Station and Filtration Plant to improve electrical service and reliability.
- Ongoing engineering design of roof improvements at the Colonel Ward Pumping Station and Water Treatment Plant.
- Ongoing engineering design of electrical improvements at the Massachusetts Avenue substation and pumping station.

METERING PROGRAM

The New York State's Department of Environmental Conservation has mandated that all households and businesses served by Buffalo Water have a water meter installed to insure equitable billing and to foster water conservation. The water meters installed under this program, are read from outside your residence, and accurately bill for the water that has been used, the same way you are currently billed by other utilities. Buffalo Water currently reads and bills metered accounts quarterly. Bills are processed and mailed within approximately 30 days following the previous quarter. If your meter is stopped, or we cannot read your meter, you may receive an estimated bill. If you receive a notice regarding a problem with your meter, or an estimated bill, you should contact customer service at (716) 847-1065.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all our customers help us protect our water sources, which are the heart of our community. A copy of the Annual Water Quality Report can be found on Buffalo Water's website (www.buffalowater.org). Please call our Treatment Plant Supervisor at (716) 847-1065 ext. 130 or the laboratory at (716) 847-1065 ext. 153 if you have questions about water quality. As always, if you are concerned about elevated levels of lead in your home's plumbing, please contact City of Buffalo 3-1-1 Call and Resolution Center to have your water tested for lead by Buffalo Water.

